

NEW ARRIVAL

POLYETHYLENE RECYCLE BIN



SMART BIN 150L

- Capacity: 150 LITRES
- Dimension:
570(W)mm x 550(D)mm x 1070(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Type of Shape opening
 - Choose 3 in 1 or more



Optional

TRIANGLE 100L

- Capacity: 100 LITRES
- Dimension:
530(W) x 530(D) x 880(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Type of Shape opening
 - Choose 3 in 1 or more



Optional

MUTIARA 100L

- Capacity: 100 LITRES
- Dimension:
390(W) x 390(D) x 995(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Choose 3 in 1 or more



Optional

ECLIPSE 100L

- Capacity: 100 LITRES
- Dimension:
410(W) x 410(D) x 870(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Type of Shape opening
 - Choose 3 in 1 or more

NEW ARRIVAL

POLYETHYLENE RECYCLE BIN



D SHAPE 90L

- Capacity: 90 LITRES
- Dimension: 360(W) x 500(D) x 780(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Choose 3 in 1 or more



HEXAGON 45L

- Capacity: 45 LITRES
- Dimension: 350(W) x 350(D) x 590(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Choose 3 in 1 or more



HEXAGON 110L

- Capacity: 110 LITRES
- Dimension: 390(W) x 390(D) x 870(H)mm
- Optional:
 - 4th as General waste Bin (Any colour)
 - Choose 3 in 1 or more

TPB 40L



DESCRIPTION

- Capacity: 40 LITRES
- Dimension: 470(W) x 370(D) x 510(H)mm

COLOUR AVAILABLE:



RED



GREEN



BLUE



GREY

TPB 60L



DESCRIPTION

- Capacity: 60 LITRES
- Dimension: 520(W) x 470(D) x 590(H)mm

COLOUR AVAILABLE:



RED



GREEN



BLUE



GREY

POLYETHYLENE

SPB BIN SERIES



SPB 15

- Capacity: 15 LITRES
- Dimension: 280(W) x 320(L) x 355(H)mm



SPB 25

- Capacity: 25 LITRES
- Dimension: 380(W) x 405(L) x 415(H)mm



SPB 35

- Capacity: 35 LITRES
- Dimension: 400(W) x 405(L) x 515(H)mm



SPB 45

- Capacity: 45 LITRES
- Dimension: 400(W) x 405(L) x 605(H)mm



SPB 55

- Capacity: 55 LITRES
- Dimension: 400(W) x 405(L) x 695(H)mm

COLOUR AVAILABLE FOR SPB 15/25/35/45/55:



GREY

BLUE

GREEN

RED

YELLOW

CLINICAL WASTE BIN



CW30

- Capacity : 30 LITRES
- Top Size : 365(D)mm
- Bottom Size : 300(D)mm
- Bin Height : 390mm
- Overall Size :
440(W) x 560(D) x 930(H)mm
- Material :
Polyethylene Bin c/w Powder
- Coating Pedal & Trolley



CW45

- Capacity : 30 LITRES
- Top Size : 365(D)mm
- Bottom Size : 300(D)mm
- Bin Height : 600mm
- Overall Size :
440(W) x 560(D) x 930(H)mm
- Material :
Polyethylene Bin c/w Powder
- Coating Pedal & Trolley



CWB 10L

- Capacity: 10 LITRES
- Dimension:
260(D) x 330(H)mm



CWB 18L

- Capacity: 18 LITRES
- Dimension:
315(D) x 405(H)mm



CWB 35L

- Capacity: 35 LITRES
- Dimension:
375(D) x 540(H)mm

SANITARY BIN



SB 003(C)

- DURO Sanitary Bin SB 003(C)
- Capacity : 18 LITRES
- Size :
360(W) x 160(D) x 535(H)mm



SB 002(B)

- DURO Sanitary Bin SB 002(B)
- Capacity : 18 LITRES
- Size :
360(W) x 160(D) x 535(H)mm

DURO[®] AUTOMATIC HAND DRYER

HD-SR-298



Bottom View



Sensing Area



Power Cable



Inlet air filtration



Air Outlet

320mm



295mm



170mm

PRODUCT DESCRIPTION

- | | | | |
|------------------|-------------------|---------------------|----------------------------|
| • Dimension: | 295 x 170 x 320mm | • Sensing Distance: | 15-20cm |
| • N.W: | 4.5kg | • Input Power: | 1400-1650W |
| • Rated Voltage: | AC220-240V | • Waterproof: | IP13 |
| • Motor: | Brush Motor | • Heating Power: | 800-950W |
| • Phase: | Single-phase | • Air Speed: | 60m/s or 105m/s; either-or |
| • Noise: | 76dBa | • Material: | Stainless Steel |

• Certification:



DURO[®] AUTOMATIC HAND DRYER

HD-SR-299



Bottom View



UV
PROTECTION



FAST
DRYER



HAND
SENSOR



Sensing Area



Inlet air filtration



Air Outlet



Power Cable



PRODUCT DESCRIPTION

- | | | | |
|---------------------|---------------------|------------------|-----------------|
| • Dimension: | 180 x 152 x 260(mm) | • Noise: | 72dBa |
| • N.W: | 3.0kg | • Waterproof: | IP13 |
| • Rated Voltage: | AC220-240V | • Heating Power: | 650-750W |
| • Motor: | Brush Motor | • Air Speed: | 68m/s |
| • Phase: | Single-phase | • UV Light: | Yes |
| • Sensing Distance: | 15-20cm | • Material: | Stainless Steel |
| • Input Power: | 1150-1350W | • Certification: | |



DURO[®]

AUTOMATIC HAND DRYER

HD-SR-388



HEPA filter



Indicator Light



Intelligent Warm Wind



Air Outlet



Floodlight



Drain Tank



556mm



296mm



175mm

PRODUCT DESCRIPTION

- | | | | |
|-------------------------|-------------------------|----------------------|------------------------------|
| • Dimensions: | W296 x D175 x H556 (mm) | • Voltage/Frequency: | AC110-130V/220-240V, 50/60Hz |
| • Electrical Isolation: | Class II | • Rated Power: | 1400W-1750W |
| • Motor Type: | Brush Motor | • Motor Power: | 750W |
| • Air Temperature: | 20-40°C | • Air Speed: | 92m/s |
| • Drying Time: | 7-10s | • Noise Level: | 70dB@1m |
| | | • Timing Protection: | 25s |
| | | • Material: | ABS |
| | | • Certification: | CE CB MS SIRIM |

DURO[®] AUTOMATIC HAND DRYER

HD-SR-391



Sensing Area



Air Intake



Noise control




Air Outlet



LED Display Lamp

Back View



PRODUCT DESCRIPTION

- | | | | |
|-------------------------|------------------------------|-------------------------|-----------------|
| • Dimensions: | W153 x D162 x H280 (mm) | • Drying Time: | 10-15s |
| • Voltage/Frequency: | AC110-130V/220-240V, 50/60Hz | • Weight: | 3.5kg |
| • Electrical Isolation: | Class I (ground required) | • Noise Level: | 72dB@1m |
| • Rated Power: | 1150W-1350W | • Sensing Distance: | 15-20cm |
| • Motor Type: | Brush Motor | • Degree of Protection: | IP13 |
| • Motor Power: | 500W | • Timing Protection: | 45s |
| • Air Temperature: | 20-40°C | • Material: | Stainless Steel |
| • Air Speed: | 68m/s | • Certification: | |

DURO[®] AUTOMATIC HAND DRYER

HD-SR-392



Back View



FAST DRYER



HAND SENSOR



Round gathering wind



Smart-warm wind



Inlet air filtration



Support hard wired

260mm



180mm

152mm



PRODUCT DESCRIPTION

• Dimensions:	W180 x D152 x H260 (mm)	• Rated Power:	1150W-1350W
• Electrical Isolation:	Class I (ground required)	• Motor Power:	500W
• Motor Type:	Brush Motor	• Air Speed:	60m/s
• Air Temperature:	20-40°C	• Noise Level:	72dB@1m
• Drying Time:	10-15s	• Degree of Protection:	IP13
• Sensing Distance:	15-20cm	• Weight:	3.0kg
• Timing Protection:	45s	• Material:	Stainless Steel + Powder Coating
• Voltage/Frequency:	AC110-130V/220-240V, 50/60Hz	• Certification:	   

DURO[®] AUTOMATIC HAND DRYER

HD-SR-389



Bottom View



255mm



FAST
DRYER



HAND
SENSOR



Indication Device



Indicator Light



Switch



Air Outlet



Air Filter



154mm



99mm

PRODUCT DESCRIPTION

- | | | | |
|-------------------------|------------------------|-------------------------|------------------------------|
| • Dimensions: | W154 x D99 x H255 (mm) | • Voltage/Frequency: | AC100-130V/220-240V, 50/60Hz |
| • Electrical Isolation: | Class II | • Rated power: | 900W-1050W |
| • Motor Type: | Brush Motor | • Motor Power: | 400W |
| • Air Temperature: | 20-40°C | • Air Speed: | 82m/s |
| • Drying Time: | 10-15s | • Noise Level: | 75dB@1m |
| • Sensing Distance: | 15-20cm | • Degree of Protection: | IP24 |
| • Timing Protection: | 45s | • Material: | ABS |
| • Weight: | 1.8kg | • Certification: | CE CB MS SIRIM |

CE CB



DURO[®] AUTOMATIC HAND DRYER

HD-SR-393



Back View



Indicator Light



Air Outlet



Inductor



Air Intake

PRODUCT DESCRIPTION

• Dimensions:	W153 x D162 x H280 (mm)	• Drying Time:	10-15s
• Voltage/Frequency:	AC110-130V/220-240V, 50/60Hz	• Weight:	3.5kg
• Electrical Isolation:	Class I (ground required)	• Noise Level:	72dB@1m
• Rated Power:	1150W-1350W	• Sensing Distance:	15-20cm
• Motor Type:	Brush Motor	• Degree of Protection:	IP13
• Motor Power:	500W	• Timing Protection:	45s
• Air Temperature:	20-40°C	• Material:	Stainless Steel
• Air Speed:	68m/s	• Certification:	CE CB MS SIRIM



DURO[®] AUTOMATIC HAND DRYER

HD-SR-390



HEPA Filter



Power Cable



Inlet air filtration



Inductor



Air Outlet

Back View



PRODUCT DESCRIPTION

• Dimensions:	W302 x D172 x H312 (mm)	• Rated Power:	1200W-1450W
• Electrical Isolation:	Class I (ground required)	• Motor Power:	550W
• Motor Type:	Brush Motor	• Air Speed:	70m/s
• Air Temperature:	20-40°C	• Noise Level:	70dB@1m
• Drying Time:	10-15s	• Degree of Protection:	IP13
• Sensing Distance:	15-20cm	• Filter:	HEPA
• Timing Protection:	45s	• Weight:	4.1kg
• Voltage/Frequency:	AC110-130V/220-240V, 50/60Hz	• Material:	Stainless Steel

• Certification: **CE CB UL MS SIRIM**

NEW ARRIVAL

TRAFFIC CONE

TPB 40L



DESCRIPTION

- Model : TTC28
- Dimension : 410(D) x 715(H)mm
- Material: P.E.
- Note : c/w Reflective Sticker
- Colour: Orange

- Optional Sticker sign available:



TC30



DESCRIPTION

- Traffic Cone 30"
- Dimension: 380(D)mm x 770(H)mm
- Material: P.E.
- Note : c/w Reflective Sticker
- Colour: Orange

CTSC-309



DESCRIPTION

- Collapsible Traffic Cone
- Based Dimension: 300(D)mm
- Total Height: 95mm
- Collapsed height: 95mm
- Material: P.E.
- Note : c/w Reflective Sticker
- Colour: Orange

TC40



DESCRIPTION

- Traffic Cone 40"
- Dimension: 425(D)mm x 1030(H)mm
- Material: P.E.
- Note : c/w Reflective Sticker
- Colour: Orange

TC18



DESCRIPTION

- Traffic Cone 18"
- Dimension: 295(D)mm x 490(H)mm
- Material: P.E.
- Note : c/w Reflective Sticker
- Colour: Orange

AC0010



DESCRIPTION

- Adapta Cone
- Dimension: 505(D)mm x 1020(H)mm
- Material: P.E.
- Note : c/w Reflective Sticker
- Colour: Orange
- Note : can be filled with water / sand allowing a heavier base weight stability.

NEW ARRIVAL

JANITOR CART & OTHER

JC-329



DESCRIPTION

- Size : 1330(W) x 620(D) x 1280(H)mm
- Note : c/w wringer bucket & locker
- Holder for rubbish/laundry sack
- Plastic wheeled base with push bar
- mop wringer

ACCESSORIES:



JC-330



DESCRIPTION

- Size : 1330(W) x 620(D) x 1280(H)mm
- Note : c/w wringer bucket & locker

ACCESSORIES:



NEW ARRIVAL

JANITOR CART & OTHER

PMT-580


DESCRIPTION



- Size : 1551(W) x 576(D) x 984(H)mm
- 2 multipurpose bag
- Note : Rack and Hidden Drawer

ACCESSORIES:

*Optional:



DMT-TRAY(D)


Double organizer storage tray.
Size : 635(W) x 473(D) x 347(H)mm

OR



DMT-TRAY(S)

Single organizer storage tray
Size : 635(W) x 475(D) x 165(H)mm



PMT-521


DESCRIPTION



- Size : 1612(W) x 592(D) x 1173(H)mm
- 2 multipurpose bag
- Note : Lockable Doors and Under Deck Shelf

ACCESSORIES:

*Optional:



DMT-TRAY(D)

Double organizer storage tray.
Size : 635(W) x 473(D) x 347(H)mm

OR



DMT-TRAY(S)

Single organizer storage tray
Size : 635(W) x 475(D) x 165(H)mm



NEW ARRIVAL

JANITOR CART & OTHER

	DESCRIPTION
DMT-TRAY(D) 	• Size Available: • DMT-TRAY(S): • Suitable for PMT-580 and PMT-521 • 635(W) x 473(D) x 347(H)mm • DMT-TRAY(D): • Suitable for PMT-580 and PMT-521 • 635(W) x 475(D) x 165(H)mm
DMT-TRAY(S) 	DETAILS: 

JC-331	DESCRIPTION
	• Size : 1163(W) x 600(D) x 1248(H)mm • Note : c/w wringer bucket • Holder for Multipurpose sack • Plastic wheeled base with push bar • mop wringer ACCESSORIES: 

NEW ARRIVAL

JANITOR CART & OTHER



LAUNDRY CART



DESCRIPTION

- Size Available:
- PELT-518:
 - Capacity: 350 litre
 - 1175(W) x 750(D) x 806(H)mm
- PELT-519:
 - Capacity: 450 Litre
 - 1337(W) x 780(D) x 806(H)mm

DETAILS:



SWB-388



- Size 579(W) x 376(D) x 861(H)mm
- Capacity 34L
- Color Yellow
- Style foot control
- Material Plastic

DETAILS:



Drainer

* Press the foot pedal to open the drainer